



Cryoblaster®

ATX nano-E

ATX nano-E: The Revolution of Precision Cryogenic Cleaning!



ATX nano-E

Looking for a **precise** dry ice blasting solution that guarantees the **integrity** of your surfaces? Do you need an efficient tool for **small** and **medium** areas, such as electrical cabinets, plastic molds or even motors and car cabins? ; Look no further!

Introducing the **ATX nano-E** dry ice cleaner: the perfect combination of **precision** and **power**. Designed to clean without causing abrasion, this industrial grade equipment adapts to technical and delicate surfaces, ensuring optimized air consumption of 800 to 3100 l/min (28.25 to 108.48 cfm).

In addition, it comes equipped with 4 nozzles « S », « M », « L » and flatt, a LED gun and a 5 meter (16ft 4.8 in) anti-static hose to ensure a superior cleaning experience.

The ATX nano-E is the solution you've been waiting for!

OPTIONS

Ref No.	Description
BGRAGN	Crusher nozzle
BPL027N	Flat nozzle 27 mm
Options : 20 nozzles and accessories	

Cryoblaster® ATX nano-E

Ref No.	Description
ATX nano-E	Unit ATX nano-E
TTR05	Blast hose 5 m - 16,4 ft
BSS, BSM, BSL, BPL38	Nozzle « S », Nozzle « M », Nozzle « L », Flat Nozzle 38 mm
PNL	LED gun - 340°
CAF	Anti hose whip security
Instruction manual	Document and videos

Examples of applications

- Cleaning of electrical cabinets,
- Preventive industrial cleaning,
- Cleaning of car engines,
- Cleaning of plastic and foundry moulds,
- Cleaning of industrial kitchens,
- Etc

Stainless steel hopper :
8 kg | 17 lb

Stainless steel 304
handle, for blast
hose



Examples of applications:

- electrical cabinets
- engine cars,
- plastic moulds,
- foundry mould,
- etc

Dry ice consumption :
0 - 35 kg/h | 0 - 77 lb

Front handle Stainless steel
to facilitate unloading and
moving up the stairs

WARRANTY: 2 YEARS

Included as standard equipment



Many optional accessories...

Gun 45°, 90°...
Flat nozzles, nozzles Delrin®, extensions 90°...





One single blast Hose system electropneumatic



One single blast hose system full pneumatic



Technical DATA	ATX nano-E	ATX nano-P
Air pressure work bar psi	3/12 bars 43/174 psi	3/12 bars 43/174 psi
Dry ice consumption kg/h lb/h	0/35 kg/h 0/77 lb/h	0/45 kg/h 0/99 lb/h
Electrical power	150 W	-
Pressure regulator	YES	YES
Energy	Elect/Pneu	Full Pneumatic
Air consump m3/min cfm*	0,8/3.1 m3/min 28/110 cfm	3,2/5.00 m3/min 113/176 cfm
Hopper	8 kg/17 lb	8 kg/17 lb
Vibrator	Electric	Pneumatic
Blast Hose	5 m/16 ft	5 m/16 ft
Off-road Wheels	Option	Option
Frame	Alu/Stainless steel	Alu/Stainless steel
Dimens L x l x H cm	46 x 46 x 99	46 x 46 x 99
Weight	52 kg/114,6 lb	48 kg/105,8 lb
LED gun	YES	-

*: compressed air consumption depends on the diameter of the nozzle used

Maintenance and Service

Requests for technical assistance are resolved in a few hours and in any case in less than 24 hours.

WARRANTY

The warranty period is 12 months for CB02-E and CB02-P and **24 months** for the **ATX series**, excluding wear parts. Possibility of warranty extension 12 months.

DEMONSTRATION

For any test request call **+33 (0) 481 61 02 75** or contact the dealer for an appointment.

Possibility of trial on your site.

RESELLER

DELTA DIFFUSION

(Cryoblaster® is a trademark of Delta Diffusion)

ADDRESS

52, Chemin du Bonnard
38290 Frontonas (France)

SHOW ROOM

Rue des Muguets
38070 ST Quentin Fallavier

Phone: 00 33 981 37 76 93

